# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| | | (@ad<"20040130" @rlad<"20040130") and Matsushita panasonic assignee | US-PGPUB; USPAT | OR | OFF | 2008/12/26 08:02 |
| L6 | 0 | (@ad<"20040130" @rlad<"20040130") and ( ( (virtual interface tunnel $5 endpoint target destination caller callee node ) adj2 (address id identifier ) ) near5 (resol$5 conflict$5 reused re-usable identical equal duplicat$5 overlap match$5 (in adj use) existing already (more adj one) 'one-to-many' simultaneous$5 negotiat$5 algorithm availab$5) ) and ( ( (virtual interface tunnel $5 endpoint target destination caller callee node) adj2 (address id identifier ) ) near5 ( tunnel encapsulat$5 ) ) and ( ( (virtual interface tunnel $5 endpoint target destination caller callee node) adj2 (address id identifier ) ) near3 ( modif $5 chang$5 updat$5 add$5 append$5 switch alter$5 lookup ) ) and ( ( session connection call tunnel sequence) adj2 (id GUID identifier key label tag number ) ) and 709/245. ccls. not L4 | US-PGPUB; USPAT | OR | OFF | 2009/01/07 12:00 |

| S5 | 22 | (@ad<"20040130" @rlad<"20040130") and ( (DHCP autoip auto-ip) and tunnel ) and ( ( (virtual interface tunnel$5) near9 address) same (resol$5 conflict$5 reused re-usable ) ) and ( ( (virtual interface tunnel$5) near9 address) same ( (device caller callee target destination source origin ) adj2 (id identifier MAC ) ) ) | US-PGPUB; USPAT | OR | OFF | 2008/12/26 08:51 |
|----|----|----|----|----|----|----|
| S9 | 0 | (@ad<"20040130" @rlad<"20040130") and ( (DHCP autoip auto-ip) and tunnel ) and ( ( (virtual interface tunnel$5) near9 address) same (resol$5 conflict$5 reused re-usable ) ) and ( ( (virtual interface tunnel$5) near9 address) same ( (device caller callee target destination source origin endpoint ) adj2 (id identifier MAC ) ) ) and ( (without exclud$5 omit$5 eliminat$5 dismiss$ obviat$5 avoid$5 necessary requir$5) near3 (DHCP autoip auto-ip ) ) not S5 | US-PGPUB; USPAT | OR | OFF | 2008/12/26 09:03 |
| S12 | 1 | (@ad<"20040130" @rlad<"20040130") and ( (DHCP autoip auto-ip) and tunnel ) and ( ( (virtual interface tunnel$5) near9 address) same (resol$5 conflict$5 reused re-usable assign$5 compar$5 ) ) and ( ( (virtual interface tunnel $5) near9 address) same ( (device caller callee target destination source origin endpoint NIC ) adj2 (id identifier MAC ) ) ) and ( (without exclud$5 omit$5 eliminat$5 dismiss$ obviat $5 avoid$5 necessary requir $5 unlike unlimited ) near3 (DHCP autoip auto-ip ) ) not S5 | US-PGPUB; USPAT | OR | OFF | 2008/12/26 09:19 |

| S22 | 379 | (@ad<"20040130" @rlad<"20040130") and ( ( (virtual interface tunnel $5) adj2 (address id identifier ) ) same (resol$5 conflict$5 reused re-usable assign$5 compar$5 ) ) and ( ( (virtual interface tunnel $5) near9 ( address id identifier) ) same ( (device caller callee target destination source origin endpoint NIC ) adj2 ( id identifier MAC ) ) ) not (S16 S17 S18 S19 S21) | US-PGPUB; USPAT | OR | OFF | 2008/12/26 11:00 |
|-----|-----|---|---|---|---|---|
| S23 | 2 | S22 and ( (without exclud$5 omit$5 eliminat$5 dismiss$ obviat$5 avoid$5 necessary requir$5) near3 (DHCP autoip auto-ip ) ) | US-PGPUB; USPAT | OR | OFF | 2008/12/26 11:01 |
| S25 | 69 | (@ad<"20040130" @rlad<"20040130") and ( ( (virtual interface tunnel $5) adj2 (address id identifier ) ) same (resol$5 conflict$5 reused re-usable assign$5 acqui$5 inquir$5 get given determin$5 ask$5 query$5 obtain$5 compar$5 match$5 ) ) and ( ( (virtual interface tunnel$5) near9 ( address id identifier ) ) same ( (device caller callee target destination source origin endpoint NIC ) adj2 ( id identifier MAC ) ) ) and ( (without exclud$5 omit$5 eliminat$5 dismiss$ obviat $5 avoid$5 necessary requir $5) near3 (dynamic DHCP autoip auto-ip ) ) not (S16 S17 S18 S19 S21) | US-PGPUB; USPAT | OR | OFF | 2008/12/26 11:22 |
| S29 | 2415 | (@ad<"20040130" @rlad<"20040130") and ( ( (virtual interface tunnel $5) adj2 (address id identifier ) ) near4 ( new exist$5 resol$5 conflict$5 reused re-usable compar$5 match$5 ) ) | US-PGPUB; USPAT | OR | OFF | 2008/12/26 14:18 |

| S36 | 69 | (@ad<"20040130" @rlad<"20040130") and ( ( (virtual interface tunnel $5) adj2 (address id identifier ) ) same (resol$5 conflict$5 reused re-usable assign$5 acqui$5 inquir$5 get given determin$5 ask$5 query$5 obtain$5 compar$5 match$5 ) ) and ( ( (virtual interface tunnel$5) near9 ( address id identifier ) ) same ( (device caller callee target destination source origin endpoint NIC ) adj2 ( id identifier MAC ) ) ) and ( (without exclud$5 omit$5 eliminat$5 dismiss$ obviat $5 avoid$5 necessary requir $5) near3 (dynamic DHCP autoip auto-ip ) ) not (S30 S31 S32 S33 S35) | US-PGPUB; USPAT | OR | OFF | 2008/12/26 14:19 |
|-----|-----|-----|-----|-----|-----|-----|
| S37 | 2 | S29 and S36 | US-PGPUB; USPAT | OR | OFF | 2008/12/26 14:19 |
| S49 | 730 | (@ad<"20040130" @rlad<"20040130") and ( ( (virtual interface tunnel $5) adj2 (address id identifier ) ) same (resol$5 conflict$5 reused re-usable assign$5 acqui$5 inquir$5 get given determin$5 ask$5 query$5 obtain$5 compar$5 match$5 "in use" existing ) ) and ( ( (virtual interface tunnel$5) near9 ( address id identifier ) ) same ( (device caller callee target destination source origin endpoint NIC ) adj2 ( id identifier MAC ) ) ) not (S40 S41 S42 S43 S45 S46) | US-PGPUB; USPAT | OR | OFF | 2009/01/03 10:38 |

| S59 | 805 | (@ad<"20040130" @rlad<"20040130") and ( ( (virtual interface tunnel $5) adj2 (address id identifier ) ) same ( construct$5 generat$5 provid$5 resol$5 conflict$5 reused re-usable assign$5 acqui$5 inquir$5 get given determin$5 ask$5 query$5 obtain$5 compar$5 match $5 "in use" existing ) ) and ( ( (virtual interface tunnel $5) near9 ( address id identifier ) ) same ( (device caller callee target destination source origin endpoint NIC) adj2 ( id identifier MAC) ) ) not (S52 S53 S54 S55 S57 S58) | US-PGPUB; USPAT | OR | OFF | 2009/01/04 08:58 |
|-----|-----|-----|-----|-----|-----|-----|
| S65 | 817 | (@ad<"20040130" @rlad<"20040130") and ( ( (virtual interface tunnel $5) adj2 (address id identifier ) ) same ( construct$5 generat$5 provid$5 resol$5 conflict$5 reused re-usable assign$5 acqui$5 inquir$5 get given determin$5 ask$5 query$5 obtain$5 compar$5 match $5 "in use" existing already "more than one" "one-to-many" simultaneous$5) ) and ( ( (virtual interface tunnel$5) near9 ( address id identifier ) ) same ( (device caller callee target destination source origin endpoint NIC) adj2 ( id identifier MAC) ) ) not (S52 S53 S54 S55 S57 S58) | US-PGPUB; USPAT | OR | OFF | 2009/01/04 09:17 |

| S67 | 1 | "20080235399".pn. and ( ( (carrier signal carrying modulat$3 propagat$5 wireless frequency air transmission communication RF radio protocol paper printout printed optical fiber $3 ) near9 (medium means media stor$5 memory communication recording ) ) (software mental$5 architecture program instruction java applet servlet plugin plug-in widget ( (machine computer process $4 cpu human server application API markup means component device apparatus system embodiment implement$5 section ) near9 (code language module logic algorithm ) ) ) ) | US-PGPUB; USPAT | OR | OFF | 2009/01/06 08:53 |
|-----|-----|-----|-----|-----|-----|-----|
| S80 | 1515 | (@ad< "20040130" @rlad< "20040130") and ( ( (virtual interface tunnel $5 endpoint target destination caller callee node ) adj2 (address id identifier ) ) same (resol$5 conflict$5 reused re-usable match$5 "in use" existing already "more than one" "one-to-many" simultaneous $5) ) and ( ( (virtual interface tunnel$5 endpoint target destination caller callee node) adj2 (address id identifier ) ) same ( tunnel encapsulat$5 ) ) and ( ( (virtual interface tunnel$5 endpoint target destination caller callee node) adj2 (address id identifier ) ) near3 ( modif $5 chang$5 updat$5 add$5 append$5 switch alter$5 lookup ) ) | US-PGPUB; USPAT | OR | OFF | 2009/01/06 09:52 |

| S84 | 172 | S80 and ( ( (virtual interface tunnel$5 endpoint target destination caller callee node) adj2 (address id identifier ) ) near3 ( modif $5 chang$5 ) ) not (S82 S83) | US-PGPUB; USPAT | OR | OFF | 2009/01/06 10:34 |
|---|---|---|---|---|---|---|

1/7/2009 12:01:47 PM
C:\Documents and Settings\gbengzon\My Documents\EAST\Workspaces\GCB 10597496 Reusable tunnel address.wsp